


## WARNING MUD MIXER

Any piece of equipment can be dangerous if not operated properly. **YOU** are responsible for the safe operation of this equipment. The operator must carefully read and follow any warnings, safety signs and instructions provided with or located on the equipment. Do not remove, defeat, deface or render inoperable any of the safety devices or warnings on this equipment. If any safety devices or warnings have been removed, defeated, defaced, or rendered inoperable, **DO NOT USE THIS EQUIPMENT!!!**

 **WARNING:** Operating, servicing, and maintaining this equipment can expose you to chemicals including Chromium (Hexavalent Compounds) & Chromium 6 (Chromium VI) from concrete which are known to the State of California to cause cancer and birth defects or other reproductive harm. To minimize your exposure, avoid breathing dust. For more information go to [www.P65warnings.ca.gov](http://www.P65warnings.ca.gov)

Never operate power equipment of any kind if you are tired or if you are under the influence of alcohol, drugs, medication, or any substance that could affect your ability or judgment. Be alert! If you get tired while operating this equipment, take a break. Tiredness may result in loss of control.

**DANGER:** This equipment has multiple pinch points that can cause dismemberment or death. Keep your fingers, hands, feet, and all other body parts clear at all times.

This 120-volt equipment may require a grounded outlet, do not modify plug.

When working with concrete, cement, mortar, etc, WEAR IMPERVIOUS GLOVES, such as nitrile, an appropriate dust mask/respirator, and eye protection. **DANGER:** cementitious products cause severe skin burns and serious eye damage. Prolonged or repeated inhalation of dust may cause lung damage or cancer. Keep out of reach of children.

This machine is designed primarily for mixing and distributing bagged concrete and/or mortar products, and is intended for use by contractors, landscapers, fence builders, and residential homeowners in completing professional and DIY projects.

Read this information carefully to learn how to operate this product to avoid injury and product damage.

If the person receiving this handout will not be the user of the equipment, forward these instructions to the operator. If there is any doubt as to the operation or safety of the equipment, **DO NOT USE!!! CALL A TOOL SHED IMMEDIATELY!!! FAILURE TO FOLLOW THESE INSTRUCTIONS COULD RESULT IN INJURY OR DEATH**

# MudMixer

## Machine Overview



View 1



View 2



1. Open the QR Code reader on your smartphone.
2. Hold your device over the QR Code so it's clearly visible within your smartphone's screen. Your phone will automatically scan the code and prompt you to open a browser window. (It may take a few seconds on some devices. Some QR Code readers may require you to press the button to take a picture of the code.) After your smartphone reads the code, it will navigate to the online video.
3. PRESS PLAY on the video.

Hopper

Hopper Auger Guard  
(inside Hopper)

see View 3 below



View 3

T-Valve

Secondary Hose

Chute

Concrete Bag Cutter

Water Control Dial


Power Switch

Grounded Power Cable

Flat Free Tire

Chute Auger Guard

Auger (inside chute)



## Operating Instructions

1. Ensure installation of both Safety Auger Guards (Hopper and Chute).
2. Connect garden hose (Min 40PSI recommended) to T-Valve.
3. Connect the Grounded Power Cable to power.
4. Set the Water Control Dial to desired starting point (35 - 50 recommended for concrete).
5. Flip the Power Switch to “Forward” for 5 seconds to test the water and Auger.
6. Pre-wet the Chute using the Secondary Hose.
7. Using the Concrete Bag Cutter, place the first bag of powder into the Hopper.
8. Flip the Power Switch to “Forward” to begin mixing concrete.
9. Adjust Water Control Dial to achieve desired slump.
10. Continue to add bags as necessary, keeping the Hopper 3/4 or more full.
11. Utilize the Secondary Hose to:
  - Increase water delivery when necessary
  - Thoroughly clean the unit when finished
12. THOROUGHLY CLEAN THE HOPPER, CHUTE, and AUGER WITH PROVIDED SPRAY NOZZLE WITHIN 20 MINUTES OF COMPLETING MIXING PROCESS



**WARNING - DO NOT  
CLEAN THE MIXER  
WHILE IT IS HOOKED  
TO ELECTRICITY**



**DO NOT SPRAY WATER  
DIRECTLY ONTO OR  
INTO THE MOTOR**

### General Cleaning

- After using the **MudMixer**, it is *absolutely necessary to clean the unit thoroughly.*
- We recommend using the **MudMixer Secondary Hose** and a rag to ensure the unit is free of concrete residue of any kind after the end of each project.

### Motor Cleaning

- Use a rag to wipe the motor clean if necessary.
- **DO NOT SPRAY WATER DIRECTLY ONTO OR INTO THE MOTOR.**