


WARNING DUMPING TRAILER SAFETY

Any piece of equipment can be dangerous if not operated properly. **YOU** are responsible for the safe operation of this equipment. The operator must carefully read and follow any warnings, safety signs and instructions provided with or located on the equipment. Do not remove, defeat, deface or render inoperable any of the safety devices or warnings on this equipment. If any safety devices or warnings have been removed, defeated, defaced or rendered inoperable, **DO NOT USE THIS EQUIPMENT!!!**

 **WARNING:** Operating, servicing and maintaining this equipment can expose you to chemicals including engine exhaust, carbon monoxide and lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. To minimize your exposure, avoid breathing exhaust, do not idle the engine except as necessary, operate and service your equipment in a well-ventilated area and wear gloves or wash your hands frequently when servicing your equipment. For more information go to www.P65warnings.ca.gov

<<< **WARNING** >>> **This trailers properly loaded maximum capacity is 7,000 Pounds.**

Know Your Weights **This Trailer Will Not Dump More Than 7,000 Pounds.**

Mulch products weigh between 400 to 800 lbs. per cubic yard.

Compost weighs between 1,000 to 1,600 lbs. per cubic yard.

Soil blends weigh between 2,200 to 2,700 lbs. per cubic yard.

Stone weighs about 2,700 lbs. per cubic yard.

Concrete weighs about 3,915 lbs. per cubic yard.

Sand can weigh between 2,600 to 3,000 lbs. per cubic yard.

Gravel can weigh between 2,400 to 2,900 lbs. per cubic yard.

Weights for some products will vary due to moisture content.

DO NOT OVERLOAD. The CUSTOMER is responsible for all overload **TICKETS & FINES!** <THE EQUIPMENT PROTECTION PLAN DOES NOT COVER DAMAGE CAUSED BY OVERLOADING>
DANGER: THIS TRAILER HAS & CREATES MULTIPLE PINCH POINTS! KEEP HANDS, FEET & ALL OTHER BODY PARTS CLEAR OF THEM AT ALL TIMES!

The CUSTOMER is responsible for **COVERING THEIR LOAD!**

<<< **DANGER** >>> Trailer must be hooked to the vehicle whenever it is being loaded or unloaded.

<<< **WARNING** >>> Always open the gates & lock them in place before you dump your load. Failure to do so will damage the gates and hinges. **THE EQUIPMENT PROTECTION PLAN DOES NOT COVER DAMAGE TO THE GATES OR HINGES!**

IMPORTANT SAFETY RULES TO FOLLOW

1. Load 60% of weight forward of centerline.
2. Do not overload. Check weight of your material before loading.
3. Maximum speed limit is 55 miles per hour.
4. Keep to the right except when passing.
5. Customer is responsible for all tire damage. Inspect tires and pressure regularly.
6. Hook safety chain to passenger side of vehicle.
7. Use side mirrors when required.
8. Check hitch, safety chain, lug nuts, and lights regularly.
9. It is against the law to ride in/on the trailer.
10. Not allowed over 100 miles from our outer most location
11. Trailer brakes, brake lights, taillights & turn signals are required to be connected & operational at all times.
12. Always stay clear of bed when raising or lowering. And never get under the bed when it is raised.
13. Keep bystanders away while loading or dumping.
14. Do not dump unless truck is on solid, level ground. Avoid side hill dumping. Do not dump on hills or uneven terrain. This could cause serious injury or death as rollover may occur.

If the person receiving this handout will not be the user of the equipment, forward these instructions to the operator. If there is any doubt as to the operation or safety of the equipment,

DO NOT USE!!! CALL A TOOL SHED IMMEDIATELY!!!

FAILURE TO FOLLOW THESE INSTRUCTIONS COULD RESULT IN INJURY OR DEATH



ADDENDUM TO RENTAL AGREEMENT NO. _____ **DATE:** ____ / ____ / ____

Trailer # _____ **Towing Vehicle License NO.** _____ **State:** _____

Employee Name: _____

CUSTOMER DECLINED HAVING THE TRAILER LIGHTS HOOKED UP: _____

PRE-HOOKUP - TOWING VEHICLE CHECKOUT:

Running Lights: ____ **Turn Signals:** ____ **Brake Lights:** ____ **Hitch is Tight:** ____ **Capacity:** ____

AFTER HOOKUP - TRAILER SAFETY CHECK:

Running Lights: ____ **Turn Signals:** ____ **Brake Lights:** ____

IMPORTANT! Trailer weighs 2,500 pounds. Maximum Properly Loaded Carrying Capacity 7,000 Lbs.

Customer Acknowledges That The Vehicle They Are Using Has The Required Towing Capacity For This Trailer And The Load They Are Hauling On It.

Not allowed over 100 miles from our outer most location.

Replacement Tire Size: ST235/80R16 3,520 Pound Capacity Only

LIABILITY INSURANCE. Customer shall maintain liability insurance covering the operation and use of the vehicle by customer, with limits for bodily injury and property damage at least as high as those required by the Financial Responsibility Laws of the state in which the vehicle is operated and used by Customer. Upon request of Rental Center, Customer shall furnish the name of his insurance agent, insurance company and complete information concerning the liability insurance coverage carried. In the event of Customer's breach of this Rental Agreement by failure to have or obtain such liability insurance, any insurance coverage which may apply to Customer under Rental Center's insurance coverage (which shall be secondary to Customer's insurance coverage) while Customer is operating and using the vehicle is limited to the amounts set forth in the financial responsibility laws contained in California Vehicle Code Section 16056, with a maximum limit of fifteen thousand dollars (\$15,000.00) for bodily injury to or death of one person in any one accident, and subject to such limit for one person, the amount of thirty thousand dollars (\$30,000.00) because of bodily injury to or death of two or more persons in any one accident, and the amount of five thousand dollars (\$5,000.00) for damage to property of others as a result of any one accident, or the amounts specified in any amendment to said law.

IN CONSIDERATION FOR RENTING THE TRAILER, CUSTOMER ACCEPTS THAT THERE MAY BE SOME DAMAGE TO VEHICLE BUMPER AND/OR HITCH CAUSED BY THE TOWING CONNECTION AND AGREES TO WAIVE ANY CHARGES RELATED TO THESE DAMAGES.

IT IS THE CUSTOMER'S RESPONSIBILITY TO:

- PERIODICALLY CHECK THE TRAILER HITCH, SAFETY CHAINS, TIRE PRESSURE AND LIGHTS**
- PERIODICALLY CHECK TO MAKE SURE THE LOAD IS SECURE**
- COMPLY WITH THE MAXIMUM LOAD LIMITS OF THE TOW VEHICLE**
- COMPLY WITH THE TRAILER LOAD LIMIT**
- PROPERLY COVER THE LOAD AND KEEP DEBRIS FROM EXITING THE TRAILER.**
- CUSTOMER IS RESPONSIBLE FOR ALL TIRE DAMAGE, REGARDLESS OF CAUSE**

NOTE: The driver must have a valid driver's license, meet Rental Center's minimum age requirement, and accept the conditions herein and on the stated Rental Agreement.

I have read, discussed and understand the terms and conditions of this agreement and agree to be bound thereto. Signing personally and for the Customer:

X _____ **Date:** _____

ORIGINAL CONTRACT ADDENDUM



ADDENDUM TO RENTAL AGREEMENT NO. _____ **DATE:** ____ / ____ / ____

Trailer # _____ **Towing Vehicle License NO.** _____ **State:** _____

Employee Name: _____

CUSTOMER DECLINED HAVING THE TRAILER LIGHTS HOOKED UP: _____

PRE-HOOKUP - TOWING VEHICLE CHECKOUT:

Running Lights: ____ **Turn Signals:** ____ **Brake Lights:** ____ **Hitch is Tight:** ____ **Capacity:** ____

AFTER HOOKUP - TRAILER SAFETY CHECK:

Running Lights: _____ **Turn Signals:** _____ **Brake Lights:** _____

IMPORTANT! Trailer weighs 2,500 pounds. Maximum Properly Loaded Carrying Capacity 7,000 Lbs.

Customer Acknowledges That The Vehicle They Are Using Has The Required Towing Capacity For This Trailer And The Load They Are Hauling On It.

Not allowed over 100 miles from our outer most location.

Replacement Tire Size: ST235/80R16 3,520 Pound Capacity Only

LIABILITY INSURANCE. Customer shall maintain liability insurance covering the operation and use of the vehicle by customer, with limits for bodily injury and property damage at least as high as those required by the Financial Responsibility Laws of the state in which the vehicle is operated and used by Customer. Upon request of Rental Center, Customer shall furnish the name of his insurance agent, insurance company and complete information concerning the liability insurance coverage carried. In the event of Customer's breach of this Rental Agreement by failure to have or obtain such liability insurance, any insurance coverage which may apply to Customer under Rental Center's insurance coverage (which shall be secondary to Customer's insurance coverage) while Customer is operating and using the vehicle is limited to the amounts set forth in the financial responsibility laws contained in California Vehicle Code Section 16056, with a maximum limit of fifteen thousand dollars (\$15,000.00) for bodily injury to or death of one person in any one accident, and subject to such limit for one person, the amount of thirty thousand dollars (\$30,000.00) because of bodily injury to or death of two or more persons in any one accident, and the amount of five thousand dollars (\$5,000.00) for damage to property of others as a result of any one accident, or the amounts specified in any amendment to said law.

IN CONSIDERATION FOR RENTING THE TRAILER, CUSTOMER ACCEPTS THAT THERE MAY BE SOME DAMAGE TO VEHICLE BUMPER AND/OR HITCH CAUSED BY THE TOWING CONNECTION AND AGREES TO WAIVE ANY CHARGES RELATED TO THESE DAMAGES.

IT IS THE CUSTOMER'S RESPONSIBILITY TO:

- PERIODICALLY CHECK THE TRAILER HITCH, SAFETY CHAINS, TIRE PRESSURE AND LIGHTS**
- PERIODICALLY CHECK TO MAKE SURE THE LOAD IS SECURE**
- COMPLY WITH THE MAXIMUM LOAD LIMITS OF THE TOW VEHICLE**
- COMPLY WITH THE TRAILER LOAD LIMIT**
- PROPERLY COVER THE LOAD AND KEEP DEBRIS FROM EXITING THE TRAILER.**
- CUSTOMER IS RESPONSIBLE FOR ALL TIRE DAMAGE, REGARDLESS OF CAUSE**

NOTE: The driver must have a valid driver's license, meet Rental Center's minimum age requirement, and accept the conditions herein and on the stated Rental Agreement.

I have read, discussed and understand the terms and conditions of this agreement and agree to be bound thereto. Signing personally and for the Customer:

X _____ **Date:** _____

ORIGINAL CONTRACT ADDENDUM